
 **ENERG** 

HISENSE WDQA9014EVJM

A **A** **A**

B **B** **B**

C **C** **C**

D **D** **D**

E **E** **E**

F **F** **F**

G **G** **G**

308 kWh/100^l **49 kWh/100^l**

6.0 kg **9.0 kg**

89 L **42 L**

10:30 **3:36**

72 dB

AB CDEFG **ABCD**

2019/2014

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2014

General product parameters:

| Parameter | Value | | Parameter | Value | |
|---|------------------------|-------|--|----------------|-------|
| Rated capacity (kg) | Rated capacity | 6,0 | Dimensions in cm | Height | 85 |
| | Rated washing capacity | 9,0 | | Width | 60 |
| | | | | Depth | 61 |
| Energy Efficiency Index | | 51,5 | Energy efficiency class | | A |
| | | 67,0 | | | D |
| Washing efficiency index | | 1,031 | Rinsing effectiveness (g/kg dry textile) | | 4,50 |
| | | 1,047 | | | 4,3 |
| Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40–60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used | | | Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is used | | |
| 0,49 | | | 3,08 | | |
| Water consumption in litre per cycle, for the eco 40–60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water | | | Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water | | |
| 42 | | | 89 | | |
| Maximum temperature inside the treated textile (°C) | Rated washing capacity | 35 | Ponderirana vsebnost preostale vlage (%) | 52,0 | |
| | Half | 29 | | | |
| | Quarter | 25 | | | |
| Spin speed (rpm) | Rated washing capacity | 1400 | Spin-drying efficiency class | B | |
| | Half | 1400 | | | |
| | Quarter | 1400 | | | |
| Eco 40–60 programme duration (h:min) | Rated washing capacity | 3:36 | wash and dry cycle duration (h:min) | Rated capacity | 10:30 |
| | Half | 2:54 | | Half | 6:30 |
| | Quarter | 2:54 | | | |
| Airborne acoustical noise emissions during the spinning phase for the eco 40–60 washing cycle at rated washing capacity (dB(A) re 1 pW) | | | Airborne acoustical noise emission class for the spinning phase for the eco 40–60 programme at rated washing capacity | | |
| 72 | | | A | | |
| Type | Free-standing | | | | |
| Off-mode (W) | 0,49 | | Standby mode (W) | 0,49 | |
| Delay start (W) | 3,70 | | Networked standby (W) | - | |
| This product has been designed to release silver ions during the washing cycle | | | | No | |
| Additional information: | | | | | |
| http://global.hisense.com/ | | | | | |